Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S3	1199	Vlan near2 ID	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/10 13:41
S4	79	S3 with (filter\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/10 11:50
S5	1147	vlan adj id	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/10 13:41
S6	76	S5 with filter\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/10 12:17
S7	1	S6 and (boot\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/10 12:13
S8	4	S5 same filter\$3 same compar\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/10 12:13
S9	3	S6 and corrupt\$\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/10 12:18
S10	3	S6 and corrupt\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/10 12:18

S11	63	S6 and "370"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/10 12:57
S12	1	S6 and "370"/351.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/10 12:58
S13	18	S6 and "370"/401.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/10 13:00
S14	3	S6 and 709/238.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/10 13:01
S15	0	S6 and 709/244.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/10 13:01
S16	197	S5 same (broadcast\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/10 13:45
S17	1	S16 and (corrupt\$3 with segment)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/10 13:44
S18	0	S16 and (disgard\$3 with segment)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/10 13:44

	,					
S19	32	S16 and (corrupt\$3 with packet)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/10 13:46
S20	79	S5 with (broadcast\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/10 13:45
S21	2	S20 and (corrupt\$3 with packet)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/10 13:46
S27	. 1	"6085238".pn. and (generat\$3 with packet)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR .	ON	2007/09/13 06:46
S38	2	run-time with inaccessible with process	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/12 12:07
S39	1506	inaccessible with process	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/12 12:08
S40	. 1200	Vlan near2 ID	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/12 12:08
S41		S39 and S40	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/12 12:08

C42	30	C40 with (company) to the (company)	LIC DCDLIC	OB	ON	2007/00/12 12:10
S42	28	S40 with (compar\$5 with (register\$3 table buffer memory))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/12 12:10
S44	66402	(second near2 segment)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/12 12:28
S45	1071	(second near2 segment) with (compaR\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/12 12:28
S46	431	(second adj segment) with (compaR\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/12 12:29
S47	14	S46 with (id identifier key)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/12 12:29
S51	653	(corrupt\$3 with (segment packet data)with discard\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/12 14:59
S52	1200	Vlan near2 ID	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR .	ON	2007/09/12 14:58
S53	1	S51 and S52	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/12 14:59

S54	28421	(corrupt\$3 with (segment packet data))	US-PGPUB; USPAT; USOCR;	OR	ON	2007/09/12 15:03
			EPO; JPO; DERWENT; IBM_TDB			
S55	133	S54 and S52	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/12 15:25
S56	608	(corrupt\$3 with (segment packet data) with (remov\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ÓN	2007/09/12 15:26
S57	. 1	S56 and S52	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/12 15:27
S58	187	(corrupt\$3 with (segment packet data) with (reject\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/12 15:27
S59	0	S58 and S52	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/12 15:29
S60	514	((CORRUPT\$3 BAD damag\$3) with (segment packet data) with (reject\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/12 15:29
S61	4095	((CORRUPT\$3 BAD damag\$3) with (segment packet data) with (reject\$3 remov\$3 discard\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/12 15:29

S62	8	S61 and S52	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/12 15:33
S64	178	(intentional\$5 with corrupt\$3 with (frame segment data))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/12 15:33
S65	1	S64 and S52	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/12 15:33
S66	7	(intentional\$5 with corrupt\$3 with (frame segment))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/12 15:33